

Resuscitation Policy

Originated by:	SHH Resuscitation Group
Date Ratified:	12/2012
Ratified by:	Clinical Governance Committee
Revised by: Dr Emma Tempest, Medical Director	
Revision No. 014	Date: 06/03/2024
Ratified by: Clinical Policies and Procedures Review Group	
Date ratified: 14/03/2024	
Date of next review: 01/03/2027	
Document Owner:	Medical Director
Document Classification:	Internal

Revision Summary

- 06/03/2024 Revised to replace red DNACPR form with ReSPECT form; revised to remove ward board from CPR decision documentation (CPR decisions are documented in the clinical record).

Revision History

- 07/2022 Routine review, minor changes only. To be reviewed in six months' time as new guidance and training material expected to be published. 01/2023 NB: New guidance not yet published; new review date set for 01/2024. 01/2024 NB: No new guidance has been published, review date reverted back to 07/2025
- 04/2020 (2) Section "DNACPR Decisions during COVID-19 Pandemic" added; Appendix 4 added. Revision date amended to 10/2020 from 11/2021.
- 04/2020 (1) Updated to reflect the Resuscitation Council UK statement on COVID-19 in non-acute hospital settings.

- 03/2020 Updated to reflect current Covid-19 guidance from the Resuscitation Council.
- 09/2018 Routine review undertaken.
- 06/2018 Revised to inclusion location of AEDs.
- 08/2016 Revised to reflect new working practices. Minor revisions, definitions of CPR and BLS added and Monitoring section clarified by Quality Lead in liaison with Practice Educator.
- 11/2015 Revised to reflect new working practices.

Policy Statement

What is this policy intended to achieve?

This policy recognises that resuscitation from cardiopulmonary arrest may be required at any time by patients, staff and / or visitors. As a non-acute setting, the hospice will ensure that staff and/or volunteers will be trained and supported to provide adult BLS and use an AED.

St Helena (SH) does not have the facilities to provide advanced life support or ongoing care following successful resuscitation. This would be provided by paramedics via a call to 999 and a transfer to hospital.

This policy is also intended to prevent inappropriate, futile and/or unwanted attempts at cardiopulmonary resuscitation (CPR) for adult patients (aged over 16 years) under the care of St Helena.

It does not refer to other aspects of care; for example, analgesia, antibiotics, suction, treatment of choking, treatment of anaphylaxis or other interventions, which are sometimes loosely referred to as 'resuscitation'.

Resuscitation Policy	
Page 2 of 16	Policy No: 007
	Date ratified: 14/03/2024
	Revision No. 014
	Classification: Internal

To whom does this policy apply?

This policy applies to the care of all patients, staff and visitors over the age of 16 years.

Who should read this policy?

All clinical staff.

Definitions and Terminology

Cardiopulmonary Arrest is defined as the absence of spontaneous and effective ventilation and systemic perfusion (circulation) *Cardiopulmonary Resuscitation (CPR)* is an attempt to restart a person's heart function and breathing using emergency treatment, which at SHH can include:

- BLS
- AED

Basic Life Support (BLS) is 'airway, breathing and circulation support without the use of equipment.

Automated External Defibrillator (AED) is a device that delivers electrical energy to the heart in the form of a single shock via hand free pads placed on the person's chest.

Do not attempt cardiopulmonary resuscitation (DNACPR) is a decision that is made with respect to cardiopulmonary resuscitation in the event of cardiopulmonary arrest only. It does not refer to other aspects of care; for example, analgesia, antibiotics, suction, treatment of choking, treatment of anaphylaxis or other interventions, which are sometimes loosely referred to as 'resuscitation'.

Resuscitation Policy

Page 3 of 16

Policy No: 007

Date ratified: 14/03/2024

Revision No. 014

Classification: Internal

Advance decision to refuse treatment (ADRT) a decision by an individual to refuse a particular treatment in certain circumstances. A valid ADRT is legally binding for healthcare staff.

Advance Care Plan (ACP) is a plan which allows the individual to express and record wishes about future care in the final months of life.

My Care Choices Register (MCCR) is a register to record advanced care plans for people in the north east Essex area

Resuscitation

All clinical staff will be trained annually to deliver adult BLS and use an AED. Non-clinical staff and volunteers will be offered training should they wish to undertake this.

All people are initially presumed to be for CPR unless a valid DNACPR decision, or a valid Advance Decision to Refuse Treatment (ADRT) refusing CPR, has been made and documented.

Clinical sites

In the event of suspected cardiopulmonary arrest, the person who is first on the scene should call for help. If they are trained in adult BLS they should then proceed to assess the person in accordance with the adult BLS procedure.

Because of the heightened awareness of the possibility that the victim may have COVID-19 the person should look for signs of life and absence of normal breathing without listening or feeling for normal breath by placing their cheek close to the patient's mouth. If they are not trained then they should locate someone who is suitably trained.

If cardiopulmonary arrest is confirmed

Resuscitation Policy	
Page 4 of 16	Policy No: 007
	Date ratified: 14/03/2024
	Revision No. 014
	Classification: Internal

- someone should wear PPE*, place a cloth/towel over the victim’s mouth and attempt compression only CPR and early defibrillation once the AED arrives. Do not attempt mouth to mouth resuscitation.
- someone should call 999
- someone should retrieve the AED; this should be prioritised over chest compressions.

The AED is located at:

- Myland Hall Main Reception

After performing compression only CPR, all rescuers should wash their hands thoroughly with soap and water.

*the donning of PPE should not delay the initiation of BLS. It may be appropriate for someone to start chest compressions with a mask/ gloves/apron whilst a second person puts on gloves/ apron/ FFP3 mask/ visor.

Community

In the event of suspected cardiopulmonary arrest, the person who is first on the scene should call for help and send someone to get an AED if one is available. This may necessitate making a call to 999 if no-one else is available to do so. Clinical staff trained in adult BLS they should then proceed to assess the person in accordance with the adult BLS procedure.

BLS will be administered in accordance with the Resuscitation Council (UK) Guidelines (2021) and with due care to the increased risk of the possibility the victim has Covid-19 as detailed in the guidance for clinical sites. All clinical staff should have PPE available when out on visits.

Resuscitation Policy	
Page 5 of 16	Policy No: 007
	Date ratified: 14/03/2024
	Revision No. 014
	Classification: Internal

DNACPR Decisions

All DNACPR decisions are based on current legislation and guidance.

St Helena has adopted the NHS East of England Integrated Do Not Attempt Cardiopulmonary Resuscitation (DNACPR) Policy for Adults (2011 – revised November 2015).

Discussions about DNACPR should form part of a broader Advance Care Plan discussion. These can be initiated by any member of clinical staff looking after the patient. DNACPR decisions can be made and documented by any doctor or senior nurse involved in the patient’s care who has the appropriate expertise.

The most senior clinician involved in the patient’s care is ultimately responsible for this decision, and should be made aware of any such discussions at the earliest opportunity. The decision making process should follow the Summary Decision Making Framework (Appendix 2).

The patient should be given as much information as they wish about their situation, including information about CPR in the context of their own illness, and sensitive communication around dying and end of life issues.

Where a decision is made on medical grounds because CPR will not be successful the presumption should be in favour of the patient being informed of this unless it will cause them significant harm.

A patient cannot demand to receive CPR if the medical opinion is that it will not be successful. This should be explained sensitively and a second opinion sought if agreement is not reached.

Decisions regarding CPR will be shared with all clinical teams involved in the patient’s care and recorded in one or more of the following places:

- ReSPECT form

Resuscitation Policy	
Page 6 of 16	Policy No: 007
	Date ratified: 14/03/2024
	Revision No. 014
	Classification: Internal

- Patient notes on SystemOne
- MCCR if patient consents

The Hospice

The majority of inpatients at St Helena are unlikely to benefit from CPR. This should include an assessment of the potential benefit of hospital. If, on admission, a patient does not already have a DNACPR decision in place, this should be considered. The senior doctor covering the ward is responsible for this.

In the event that it is considered that the patient might still benefit from CPR it should be clearly documented in the clinical record. Any changes to resuscitation status of a patient should be clearly discussed with the shift leader so that the decision is cascaded to the team and handed over at the board round.

Outpatients and those attending groups

The clinical team should be aware of patients with a DNACPR decision or ADRT covering DNACPR in place.

If no decision is in place, patients are presumed to be for CPR in event of cardiopulmonary arrest.

Any patient wishing to discuss a DNACPR decision should be directed to an appropriate clinician.

Community Patients

The clinical team should be aware of patients with a DNACPR decision or ADRT covering DNACPR in place.

Resuscitation Policy	
Page 7 of 16	Policy No: 007
	Date ratified: 14/03/2024
	Revision No. 014
	Classification: Internal

If no decision is in place, patients are presumed to be for CPR in event of cardiopulmonary arrest.

A DNACPR discussion as part of a broader Advance Care Plan discussion should be considered for all patients.

This policy will be available to the general public via the hospice external website, in accordance with Department of Health (2000) guidelines.

Associated Policies and Procedures

-

Compliance with Statutory Requirements

Under the Mental Capacity Act (2005), clinicians are expected to understand how the Act works in practice and the implications for each patient for whom a DNACPR decision is made.

The following sections of the Human Rights Act (1998) are relevant to this policy;

- the individual's right to life (Article 2)
- freedom from inhuman or degrading treatment (Article 3)
- respect for privacy and family life (Article 8)
- freedom of expression, which includes the right to hold opinions and receive information (Article 10)
- freedom from discriminatory practices in respect to these rights (Article 14)

Resuscitation Policy	
Page 8 of 16	Policy No: 007
	Date ratified: 14/03/2024
	Revision No. 014
	Classification: Internal

Responsibilities/Accountabilities

Title	Accountability
Chief Executive Officer	To ensure governance and compliance for this policy and accompanying procedure, and to procure and/or provide legal support.
Directors and Managers	<ul style="list-style-type: none"> • To ensure that staff are aware of the policy and how to access it, and to ensure that it is implemented. • To ensure that staff understand the importance of issues regarding DNACPR and that staff are trained and updated in managing DNACPR decisions. • To ensure that the policy is audited and that the audit details are fed back to the Quality Assurance and Audit Group (QAAG) • To ensure that DNACPR forms, patient leaflets, and this policy are available as required
Doctors and appropriately trained senior nurses responsible for making DNACPR decisions	<ul style="list-style-type: none"> • To ensure they are competent to have discussions pertaining to resuscitation with the patient and to make the decision. • To ensure that they verify any decisions made by junior staff/other accredited healthcare professionals, at the earliest opportunity • To ensure that DNACPR decisions are correctly documented, and reviewed if necessary.

Resuscitation Policy	
Page 9 of 16	Policy No: 007
	Date ratified: 14/03/2024
	Revision No. 014
	Classification: Internal

Title	Accountability
	<ul style="list-style-type: none"> • To ensure that every effort is made to provide the patient with information, to involve the individual in the decision, and if appropriate to involve relevant others in making the decision. • To ensure that DNACPR decisions are communicated to other healthcare providers.
Clinical staff	<ul style="list-style-type: none"> • To ensure that they adhere to the policy and accompanying procedure and that they notify their line manager of any training needs. • To ensure that they sensitively enquire as to the existence of a DNACPR or ADRT and check the validity of the documentation. • To ensure that other services are notified of a DNACPR or ADRT document on the transfer of a patient • To ensure that they participate in the audit process.

Staff Training Requirements

<ul style="list-style-type: none"> • Annual adult BLS training is mandatory for all clinical staff. • Adult BLS training is optional for non-clinical staff and volunteers. • DNACPR and ACP workshops are available for clinical staff.

Resuscitation Policy	
Page 10 of 16	Policy No: 007
	Date ratified: 14/03/2024
	Revision No. 014
	Classification: Internal

Monitoring (Including Audit) and Frequency of Review

There will be a case review of all significant events requiring reference to this policy.

Investigation of all significant events relating to resuscitation will be reported via the Sentinel system to the Risk and Incident (Significant Event Audit) Group and, if necessary, from there to the Clinical Governance and Compliance Group (CGCG). The CGCG will, in turn, report incidents and outcomes to the Senior Management Team (SMT) and the Patient and Family Services (PFS) Committee of the Board of Trustees. Incidents reported to CGCG, SMT, and PFS Committee will be anonymised as required.

St Helena is part of an ongoing audit process across the Integrated Care Board of North East Essex to ensure accurate, timely and appropriate completion and documentation of DNACPR decisions.

This policy will be reviewed every three years or more frequently if legislation or guidance requires.

Data Protection

Does this Policy require sign off from the Data Protection Officer?	No
---	----

References:

1. Resuscitation Council (UK) (2021) Resuscitation guidelines available from [Adult basic life support Guidelines | Resuscitation Council UK](#) [accessed 12/07/2022]

Resuscitation Policy	
Page 11 of 16	Policy No: 007
	Date ratified: 14/03/2024
	Revision No. 014
	Classification: Internal

2. Resuscitation Council (UK) (2015) “Recommended standards for recording decisions about cardiopulmonary resuscitation”, Resuscitation Council (UK), London, available from:
<https://www.resus.org.uk/resuscitation-guidelines/> [accessed 04/09/2018]
3. British Medical Association, Resuscitation Council (UK), Royal College of Nursing (2016) “Decisions relating to Cardiopulmonary Resuscitation, A Joint Statement from the British Medical Association, the Resuscitation Council (UK), and the Royal College of Nursing”, London, available from:
<https://www.resus.org.uk/EasySiteWeb/GatewayLink.aspx?aId=16643> [accessed 04/09/2018]
4. NHS Executive (2000) “Resuscitation Policy”, NHS Executive HSC 2000/028, London, available from:
http://webarchive.nationalarchives.gov.uk/20130107105354/http://www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/dh_4012184.pdf [accessed 04/09/2018]
5. NHS East of England (2011 revised Nov 2015) “NHS East of England Integrated Do Not Attempt Cardiopulmonary Resuscitation (DNACPR) Policy for Adults”, NHS East of England, Fulbourn, available from:
https://heeo.hee.nhs.uk/sites/default/files/dnacpr_policy_-_east_of_england_1.pdf [accessed 04/09/2018]
6. NHS East of England (2011) “Cardiopulmonary Resuscitation (CPR) Patient Information Leaflet”, NHS East of England, Fulbourn, available from:
https://heeo.hee.nhs.uk/sites/default/files/dnacpr_patient_information_leaflet_generic_-

Resuscitation Policy	
Page 12 of 16	Policy No: 007
	Date ratified: 14/03/2024
	Revision No. 014
	Classification: Internal

_can_be_used_nationally_produced_by_east_of_england.pdf
[accessed 04/09/2018]

Resuscitation Policy	
Page 13 of 16	Policy No: 007
	Date ratified: 14/03/2024
	Revision No. 014
	Classification: Internal

Equality Impact Assessment Initial Screening Tool

Document Reviewer(s):	Clinical Policies and Procedures Review	Date Assessment Completed:	04/08/2022
-----------------------	--	----------------------------	-------------------

Assessment of possible adverse impact against any minority group

Could the document have a significant negative impact on equality in relation to each area below?	Response		If yes, please state why, and the evidence used in your assessment
	Yes	No	
1. Age		X	
2. Sex		X	
3. Disability		X	
4. Race or Ethnicity?		X	
5. Religion and Belief?		X	
6. Sexual Orientation?		X	
7. Pregnancy and Maternity?		X	
8. Gender Reassignment?		X	
9. Marriage and Civil Partnership?		X	

- You need to ask yourself:
- Will the document create any problems or barriers to any community or group?
- Will any group be excluded because of this document?
- If the answer to either of these questions is yes, you must complete a full Equality Impact Assessment.

Assessment of positive impact

Could the document have a significant positive impact by reducing inequalities that already exist?	Response		If yes, please state why, and the evidence used in your assessment
	Yes	No	
1. Promote equal opportunities		X	

Resuscitation Policy

<h2 style="color: red;">Page 14 of 16</h2>	Policy No:	007
	Date ratified:	14/03/2024
	Revision No.	014
	Classification:	Internal

2. Eliminate discrimination		X	
3. Eliminate harassment		X	
4. Promote positive attitudes towards disabled people		X	
5. Encourage participation by disabled people		X	
6. Consider more favourable treatment of disabled people		X	
7. Promote and protect human rights		X	

On the basis of the information/evidence/consideration so far, do you believe that the document will have a positive or negative adverse impact on equality?

Positive	Please rate (delete as applicable) the level of impact				Negative
			NIL		

Is a full equality impact assessment required? No

Resuscitation Policy	
Page 15 of 16	Policy No: 007
	Date ratified: 14/03/2024
	Revision No. 014
	Classification: Internal

Appendix 1 – Resuscitation Council Guidelines

<https://www.resus.org.uk/resuscitation-guidelines/adult-basic-life-support-and-automated-external-defibrillation/>

[accessed 04/09/2018]

<https://www.resus.org.uk/media/statements/resuscitation-council-uk-statements-on-covid-19-coronavirus-cpr-and-resuscitation/covid-community/>

[accessed 24/03/2020]

Resuscitation Policy		
Page 16 of 16	Policy No:	007
	Date ratified:	14/03/2024
	Revision No.	014
	Classification:	Internal